

EMIP: The Eye Movements in Programming Dataset

Roman Bednarik¹

University of Eastern Finland

Teresa Busjahn

HTW Berlin, Germany

Agostino Gibaldi

University of Genova, Italy

Alireza Ahadi

University of Technology, Sydney, Australia

Maria Bielikova

Kempelen Institute of Intelligent Technologies, Slovakia

Martha Crosby

University of Hawaii at Mnoa, USA

Kai Essig

Bielefeld University, Germany

Fabian Fagerholm

Aalto University, Finland and University of Helsinki, Finland

Ahmad Jbara

Augusta University, GA, USA

Raymond Lister

University of Technology, Sydney, Australia

Pavel Orlov

Imperial College London, UK

¹Corresponding author

James Paterson

Glasgow Caledonian University, UK

Bonita Sharif

University of Nebraska, Lincoln, USA

Teemu Sirkiä

Aalto University, Finland

Jan Stelovsky

University of Hawaii at Mnoa, USA

Jozef Tvarozek

Slovak University of Technology in Bratislava, Slovakia

Hana Vrzakova

University of Colorado, Boulder, USA

Ian van der Linde

Anglia Ruskin University, Cambridge, UK

Abstract

A large dataset that contains the eye movements of N=216 programmers of different experience levels captured during two code comprehension tasks is presented. Data are grouped in terms of programming expertise (from none to high) and other demographic descriptors. Data were collected through an international collaborative effort that involved eleven research teams across eight countries on four continents. The same eye tracking apparatus and software was used for the data collection. The Eye Movements in Programming (EMIP) dataset is freely available for download. The varied metadata in the EMIP dataset provides fertile ground for the analysis of gaze behavior and may be used to make novel insights about code comprehension.

Keywords: eye-tracking, program comprehension, dataset

1. Introduction

The earliest studies that examined of the role of visual attention in programming date back to 1990. Crosby and Stelovsky [1] asked N=19 participants, divided into low and high experience groups, to view prose, code, and graphical versions of a binary search algorithm while their eye movements were recorded. Results included that a range of individual strategies/scan-paths were found; that there were significant differences in the way programmers read source code in comparison to prose (e.g., that more fixations were directed to relevant areas of code in comparison to prose); that programmers with less experience spend more time examining code comments; and those with more experience examine code more efficiently, directing their attention to the most important (complex) areas of the algorithm.

With the increasing availability and maturity of eye-tracking apparatus, more studies of program comprehension using eye tracking have emerged. A number of exemplar studies highlighting the kinds of research questions that can be addressed by analysing the eye movements of programmers are briefly summarized below, but for more complete reviews see [2] and [3]. In 2006, Uwano et al. [4] presented typical patterns of eye movements across source code. Bednarik and Tukiainen [5] reported on the differences in gaze patterns between novice and expert programmers using an interactive dynamic visualization environment. More recent studies examined the effect (on the pattern of eye movements elicited) of identifier naming conventions [6, 7], programming language [8], and also examined the potential role of parafoveal vision (i.e., outside the visual axis) in code comprehension [9]. Busjahn et al. showed that the order in which novice and expert programmers read through the lines of code in a program differs from the order that those lines would be executed [10].

In the present article, we present the EMIP (Eye Movements In Programming) dataset, a large eye movement dataset recorded from programmers across multiple sites of different levels of expertise as they examined two object oriented source code fragments. It is hoped that this dataset will enable more questions concerning program comprehension to be addressed, and that the size of the dataset will allow this to be done with ample statistical power (*cf.* existing studies that typically use much fewer participants). For a practical guide on how to design and conduct eye tracking studies in software engineering we direct the reader to [11].

37 2. Motivation for Eye Movements in Programming Dataset

38 With the increasing number of published studies examining eye move-
39 ments in programming, there is a growing need to compare and consolidate
40 theories and results. Aside from systematic reviews [2, 3], one way to accom-
41 plish this is through the provision of a large, publicly available dataset that
42 can be mined both to verify existing theories and develop new ones. Some
43 of the principal motivations for the new dataset are enumerated below.

44 First, the question of how to exploit eye-tracking data effectively during
45 live programming is unresolved; for instance, in the development of auto-
46 mated tools for error correction [12]. Such methods would greatly benefit
47 from a large pool of data collected in controlled conditions. A similar ar-
48 gument holds for research using machine learning and data-mining. The
49 training, optimization, and validation of such systems would benefit greatly
50 from the availability of a sufficiently large quantity of labeled data.

51 Second, such a dataset has the capacity to inform the use of eye track-
52 ing in the programming and software development process. For example, in
53 recent studies, eye-tracking has been used to improve awareness and collabo-
54 ration between pair programmers [13]. Learning the typical gaze patterns of
55 programmers during comprehension activities is more robust in the presence
56 of a sufficiently large dataset.

57 Third, central questions in eye-tracking programming research focus on
58 differences that emerge as a consequence of programmer expertise. Indeed,
59 researchers have shown great interest in trying to identify and understand the
60 diagnostic markers of expertise. A large dataset, as presented here, supported
61 by a large number of participants of different expertise levels, allows for finer-
62 grained analyses of expertise-related research questions.

63 Fourth, eye-tracking data is gaining popularity as a physiological measure
64 of developers' workload or emotional state [14]. These studies benefit from
65 the availability of a large dataset, providing high statistical power. Moreover,
66 recent years have seen the development of low-cost eye tracking devices with
67 performance that is beginning to approach research grade devices [15, 16],
68 and the integration of eye-tracking devices into conventional laptop comput-
69 ers, allowing for more widespread use of these approaches in the future.

70 Fifth, obtaining a large dataset requires significant technical investment,
71 effort, and is costly to collect. A large, free dataset should help support
72 the enlargement of the research community in this area, permitting both the
73 replication and validation of existing findings and the development of new

74 avenues of research in the sub-field of program comprehension in software
75 engineering.

76 This paper describes an international effort to collect a large and carefully
77 controlled dataset that is suitable for addressing the questions and research
78 problems described above, *inter alia*.

79 3. Materials and Methods

80 We describe the logistics of the data collection process, test stimuli (i.e.,
81 the code that participants were asked to examine), apparatus, the exper-
82 imental procedure, and the format and structure of the captured data in
83 detail below. This information is provided to enable users to evaluate the
84 robustness of our data, to understand the kinds of research questions that
85 can be asked (i.e., which variables describing participants were collected and
86 therefore may serve as predictors in analyses), to enable others to replicate
87 and/or extend the dataset, and to enable others to compare our results with
88 their own by considering any methodological differences.

89 To support replication, all materials for conducting the study are available
90 at <http://emi.pws.org/stimulus-material/>.

91 3.1. Data collection logistics

92 The EMIP dataset was collected as a community effort involving eleven
93 research teams across eight countries and four continents. A call for partic-
94 ipation was distributed using mailing lists likely to be used by those with
95 an interest in the topic of eye movements in programming. SensoMotoric In-
96 struments (SMI) kindly provided two eye-movement recording systems (com-
97 prising a laptop computer, software, and eye tracking hardware, described in
98 detail in Section 3.2, below) that were shipped to participating labs, along
99 with detailed instructions on how to assemble the hardware and how to run
100 the experimental software. This high resolution eye-tracking system was
101 portable, enabling it to be posted to data collection sites, and the availabil-
102 ity of two systems enabled labs to work concurrently, thereby speeding up
103 data collection.

104 Assistance was provided via email, when needed. Data were collected at
105 the following sites:

106 The Centre for Human Centred Technology Design, University of Tech-
107 nology Sydney, Australia;

108 The Department of Computer Science, Aalto University, Finland;
109 The Department of Computer Science, University of Helsinki, Finland;
110 The Faculty of Informatics and Information Technologies, Slovak Uni-
111 versity of Technology in Bratislava, Slovakia;
112 Information & Computer Sciences, University of Hawaii at Mānoa,
113 USA;
114 Neuroinformatics Group, Bielefeld University, Germany;
115 The School of Mathematics and Computer Science of the Netanya Aca-
116 demic College, Netanya, Israel;
117 The School of Computing, Engineering and Built Environment, Glas-
118 gow Caledonian University, United Kingdom;
119 Software Engineering Research and Empirical Studies Lab, Youngstown
120 State University, USA;
121 The Physical Structure of Perception and Computation Group, Uni-
122 versity of Genoa, Italy;
123 The School of Computing and Information Science, Anglia Ruskin Uni-
124 versity, Cambridge, United Kingdom.

125 3.2. Apparatus

126 Eye movements were recorded using a non-invasive screen-mounted SMI
127 RED250 mobile video-based eye tracker. The eye tracker provided has a
128 sample rate of 250Hz, with an accuracy of $< 0.4^\circ$ and a precision of 0.03°
129 of visual angle. The working distance from the device is 50–80 cm within
130 a ‘head box’ of 32–21 cm at 60 cm, which provided an ideal workspace for
131 the experimental procedure (see Section 3.4).

132 Stimuli were presented on a laptop computer screen set at a resolution of
133 1920–1080 pixels. Stimuli were free-viewed (i.e., no head or chin rest was
134 used) to simulate a naturalistic programming environment (something that
135 would not have been possible had a head-mounted eye tracker or head/chin
136 restraint been used).

137 The data collection procedure (see below) was implemented in the SMI
138 Experimental Suite (a software bundle that was packaged on the laptop).

139 The experimental apparatus, setup and software were matched as closely as
140 possible between collaborating sites by shipping a pre-configured eye tracker
141 and laptop computer. Data were collected in a quiet, well-lit environment to
142 minimize distractions to participants.

143 *3.3. Participants*

144 Participants were recruited at each site by opportunity sampling. Data
145 from N=216 participants are included in the dataset, of whom 41 were female
146 and 175 were male (mean age 26.56 years, SD = 9.28). All participants com-
147 pleted a demographic questionnaire, summarized in Table 1. Participants
148 were principally University students enrolled in undergraduate or postgrad-
149 uate courses related to computing, but also included academic and adminis-
150 trative staff and some professional programmers.

151 Participants came from a diverse pool of language families (1 Arabic, 2
152 Bengali, 1 Cantonese, 4 Chinese, 2 Czech, 1 Egyptian, 62 English, 1 English
153 and Hebrew, 17 Finnish, 10 German, 2 Greek, 8 Hebrew, 3 Hindi, 21 Italian,
154 1 Italian and English, 1 Marathi, 2 Nepali, 1 Norwegian, 1 Persian, 2 Por-
155 tuguese, 1 Punjabi, 1 Russian and Hebrew, 57 Slovak, 3 Spanish, 2 Swedish,
156 1 Tagalog, 1 Tamil, 4 Telugu, 1 Thai, 1 Turkish, 1 Ukrainian). Out of 154
157 non-native speakers, 66 participants spoke English fluently. 84 participants
158 reported medium English proficiency and 4 participants reported low English
159 proficiency.

160 All participants had normal or corrected-to-normal vision (17 were wear-
161 ing contact lenses, 74 glasses). Ethics clearance for the study was granted
162 at all sites. Participation was voluntary, and participants were treated in
163 accordance with the tenets of the Declaration of Helsinki. No payment was
164 offered.

165 *3.4. Experimental procedure*

166 Participants were seated in front of the laptop that had the eye tracker
167 installed on it. When participants indicated that they were ready to proceed,
168 an instruction screen was presented explaining what they were being asked
169 to do. Next, a questionnaire was presented. This included identifying the
170 programming language that they wished to be used in the experiment (i.e.,
171 the language that they were most familiar with). Three language options
172 were provided: Java, Scala, or Python. Programming expertise was self-
173 evaluated as none, low, medium or high, and number of years of programming
174 experience was also recorded.

Table 1: Metadata provided in `empip_metadata.csv` (as part of the dataset).

Variable	Description	Value
<code>id</code>	Unique identifier, which refers to the raw gaze data file	[n]
<code>age</code>	Age	[years]
<code>gender</code>	Gender	[male, female, other]
<code>mother_tongue</code>	Mother tongue	[full-text]
<code>English_level</code>	English proficiency	[low, medium, high]
<code>visual_aid</code>	Is the participant wearing glasses or contact lenses	[no, glasses, contact lenses]
<code>makeup</code>	Is the participant wearing mascara or other eye-make-up	[yes, no]
<code>experiment_language</code>	Programming language used in the experiment	[Java, Python, Scala]
<code>expertise_experiment_language</code>	Expertise in Java/Python/Scala	[none, low, medium, high]
<code>time_experiment_language</code>	How long the participant has been programming in Java/Python/Scala	[years]
<code>frequency_experiment_language</code>	How often does the participant program in Java/Python/Scala	[not at all, less than 1h/m, less than 1h/w, less than 1h/d, more than 1h/d]
<code>other_languages</code>	Other programming languages the participant knows	[language_level of expertise]
<code>expertise_programming</code>	Overall programming expertise	[none, low, medium, high]
<code>time_programming</code>	How long the participant has been programming	[years]
<code>frequency_other_language</code>	How often the participant uses programming languages other than Java/Python/Scala	[not at all, less than 1h/m, less than 1h/w, less than 1h/d, more than 1h/d]
For each stimulus program:		
<code>answer_frectangle—vehicleg</code>	Answer to the comprehension question	[full-text]
<code>correct_frectangle—vehicleg</code>	Evaluation of the answer	[0,1]
<code>order_frectangle—vehicleg</code>	Order in which the stimulus programs were shown	[1,2]
<code>stimulus_frectangle—vehicleg</code>	Filename of the screenshot in folder “stimuli”	[full-text]
<code>fmother_tongue—time_experiment_language—time_programming—other_languagesg_original</code>	unedited participant entries	[full-text]

175 Next, the eye tracker was calibrated using a 9-point calibration routine,
176 and its accuracy checked with a validation procedure. This required partici-
177 pants to attend prede ned regions of interest (ROIs) while the experimenter
178 visually checked that gaze and the regions coincided correctly.

179 Following successful calibration, participants completed two code compre-
180 hension tasks (Vehicle and Rectangle, each comprising 11-22 lines of code),
181 presented in the same order for all participants. Participants were instructed
182 to read and try to understand the code, and to press space bar when they
183 were done. Next, a multiple-choice question was presented on the screen
184 that evaluated code comprehension. No time limit to answer the question
185 was applied. At the end of the experiment, eye movement coordinates and
186 question responses were stored for offline analysis.

187 3.5. Code and comprehension questions

188 The code presented to participants was chosen to be simple enough to be
189 understood by novices, yet not too trivial for experts. In particular, static
190 metrics such as Cyclomatic Complexity [17] and control structure nesting
191 indicate that the code was simple, whereas the results of the comprehension
192 questions (See Section 4) show that they were not necessarily too trivial for
193 the participants. If more complex code had been used then we may have
194 risked inexperienced programmers giving up or examining the code pseudo-
195 randomly. Furthermore, the code was short enough to t onto a single screen
196 without scrolling, enabling straightforward eye movement analysis.

197 Rectangle:

198 The Rectangle code de nes a class Rectangle that contains four coor-
199 dinate variables, a constructor, and methods to compute area, width, and
200 height. In the main method, two rectangle objects are instantiated and their
201 areas calculated. It was adapted from a code comprehension study written
202 in Python [18] which we translated to Java and Scala. The comprehension
203 question for the Rectangle task is shown in Table 2.

204 Vehicle:

205 The Vehicle code de nes a class Vehicle that contains a number of vari-
206 ables, a constructor, and an accelerate method that could modify a current
207 speed variable. In amain method, a single object is instantiated and its
208 speed subsequently modi ed. The comprehension question for the Vehicle
209 task is shown in Table 3.

Table 2: Multiple choice comprehension question for the Rectangle code

The program:

- computes the area of rectangles by multiplying their width (x_1-x_2) and height (y_1-y_2) .
- computes the area of rectangles by multiplying their width (x_2-x_1) and height (y_2-y_1) .
- computes the area of rectangles by multiplying their width (x_1-y_1) and height (x_2-y_2) .
- I'm not sure.

210 3.6. Dataset structure and contents

211 The dataset is available for download as a 560MB ZIP file at http://emipws.org/wp-content/uploads/emip_dataset.zip. It is distributed
212 under the Creative Commons CC-BY-NC-SA license. Table 4 lists the con-
213 tents of the package. The eye movement data is in a generic (tab sepa-
214 rated value) format to maximize compatibility with analysis software.

215 In order to allow for automatic processing, some of the information pro-
216 vided by the participants required editing: (1) multiple answers were sepa-
217 rated by a semicolon (e.g., two or more native languages were provided); (2)
218 text in answers to numeric questions was converted to numbers (e.g., one
219 year was converted to 1); (3) redundant information was removed. The ex-
220 act information entered by the participants is also retained, in the columns
221 with the same name and "original" added (see Table??).

223 4. Results

224 This section provides the accuracy results for each comprehension ques-
225 tion along with some descriptive statistics on programming languages used
226 and participant expertise.

227 4.1. Code comprehension results

228 Table 5 summarizes the number of correct and incorrect answers for both
229 items of code examined. Most participants responded correctly to the ques-

Table 3: Multiple choice comprehension question for the Vehicle class

<p>The program:</p> <p>defines a vehicle by producer that has a type and can reduce its speed.</p> <p>defines a vehicle by producer that has a type and can accelerate its speed.</p> <p>defines a vehicle by producer that has a type and can accelerate and reduce its speed.</p> <p>I'm not sure.</p>
--

Table 4: Overview of dataset content

Content	Description	Size
rawdata	folder with 216 TSV-les containing raw eye movement data	2.5 GB
stimuli	folder with screenshots of the experiment slides in JPG-format and CSV-les with AOI coordinates for the stimulus programs	1 MB
emip_metadata	CSV le with participants' background information, order in which the stimulus programs were show and information about the comprehension questions	93 kB
date	TXT- le specifying when the dataset was up-loaded	13 B

230 tion about the Rectanglecode, but fewer did so for theVehicle code. The
 231 majority of participants understood the general idea of the Vehicle program,
 232 but did not realise that the (signed) datatype used as an argument to the
 233 method that modified the value of the speed variable supported the possi-
 234 bility of decreasing as well as increasing the speed of vehicle objects (i.e.,

Task	Correct	Incorrect	Total
Rectangle	152	64	216
Vehicle	50	166	216
Total	202	230	432

Table 5: Crosstabulation of task performance.

235 that passing a negative integer to the accelerate method would decrease the
 236 speed of the vehicle). Hence, even though it is not a complex program, many
 237 participants did not fully grasp this more subtle nuance of the language.

238 Whilst negative acceleration, in physics, can decrease speed, one might
 239 argue that our name for the accelerate method was misleading in relation
 240 to the question posed given the expertise of the target audience (i.e., the
 241 question asked whether speed reduction was possible, and in the vernacular
 242 the term accelerate is commonly taken to mean increase speed), which will
 243 have increased the number of incorrect responses, despite being technically
 244 valid. It is important to note that participants did not know what they
 245 would be asked after they had examined the code, so this should not have
 246 affected the distribution of eye movements, as participants were instructed to
 247 examine the code in order to understand it. Figure 3 represents the fixation
 248 density map for one participant for both code stimuli. The fixation density
 249 map was computed using EMA, a free Eye Movement Analysis toolbox [19].

250 4.2. Programming languages

251 Most participants elected to have the code presented in Java (95.83%),
 252 potentially reflecting the continued widespread use of Java in undergraduate
 253 teaching and in industry. A much smaller number of participants selected
 254 Python (2.31%) or Scala (1.85%). In the questionnaire, participants reported
 255 having expertise in a wide variety of other languages (see Figure 2). Interest-
 256 ingly, C together with its extensions and derivatives (Handel-C, Embedded
 257 C, C++, C#, Objective-C) was the language mentioned most often (81%),
 258 followed by Python (31%), and JavaScript (26%).

259 4.3. Participant expertise

260 As noted above, participants indicated their level of expertise in the
 261 programming language used in the experiment. The distribution of expe-

262 rience levels for our participants was: none (13.89%), low (31.94%), medium
263 (46.29%), and high (7.87%). On average, participants has 2.29 years (SD =
264 3.34) of experience in the programming language selected for the experiment.

265 This information can be used to examine correlations in the eye tracking
266 data to participant expertise. For example, in Figure 4 low expertise (g,
267 null or small) is characterized by gaze density maps with greater spatial
268 dispersion across the code page, potentially indicating a more exploratory
269 approach rather than one that is focused on the most important/diagnostic
270 features of the program. Similarly, Figure 5 shows how participants with
271 low expertise produced more spatially distributed fixations, and fixations
272 of longer duration, compared to expert participants. Note that these are
273 cursory high-level observations and more detailed analysis is needed to learn
274 more about how expertise affected the results.

275 5. Discussion

276 Experimenter and participant time, equipment cost and availability, the
277 provisioning and maintenance of repositories, data processing skills, and
278 other factors limit the availability of large datasets of eye movements. By dis-
279 tributing the efforts across a number of sites, we reduced some of these costs
280 in the creation of this EMIP dataset. In addition, the collaborative knowl-
281 edge, skills, peer-support and discussion allowed us to support the validity
282 of the setup and the resulting data.

283 The EMIP dataset presents a range of possible use cases, some of which
284 were outlined above. Relating gaze behavior with participants' programming
285 expertise and other metadata can potentially reveal novel insights concerning
286 the relationship between code comprehension and demographic variables.

287 Low-level eye movement parameters observed in reading text, from [20],
288 are listed below:

289 Saccade frequency Experienced readers make a saccade during reading
290 every quarter of a second on average.

291 Fixation duration - The average fixation duration is 200-250ms, and
292 the range is 100ms to over 500ms.

293 Saccade amplitude At each saccade, the eyes move forward a num-
294 ber of characters that varies from 1 to 20, with the average being 7-9
295 characters.

296 Saccade duration- Saccades are relatively short and on average last for
297 20-40 ms.

298 The large size of the dataset can provide baseline data that highlights how
299 reading source code may differ from reading of text. For instance, source code
300 may elicit different kinds of low-level eye movement parameters compared
301 to examining images [21][22] or reading prose [20], given that since code is
302 not typically read sequentially and will likely entail repeated regressions to
303 particularly important areas. In addition to the metrics listed in [20], we
304 direct the reader to [23] for a list of eye movement metrics used in software
305 engineering studies.

306 Along with the programming language experience and other metadata,
307 our dataset could be used in predictive models of expertise by examining the
308 efficiency of the code examination process. This has potential applications
309 in teaching, assessment and recruitment (although clearly such data must be
310 treated cautiously). To accomplish this, deep learning networks trained on
311 expertise-labeled eye movement data could be used [24].

312 Other potential uses of the dataset unrelated to program comprehen-
313 sion research include: (i) to evaluate the potential of eye-movement-based
314 biometric identification systems, in which the oculomotor behavior of an in-
315 dividual potentially represents a uniquely identifiable signature [25]; (ii) to
316 evaluate the degree to which participants calibration is aligned correctly with
317 expected regions of interest (here, lines of text in a computer program), en-
318 abling eye tracker accuracy and precision to be evaluated; (iii) to compare the
319 eye movement data with that obtained using consumer-grade web-cam based
320 eye trackers, which are just beginning to offer reasonable levels of accuracy
321 (e.g., [26][27]).

322 6. Limitations

323 The present study has a number of limitations worth highlighting: (i)
324 Only two code fragments were examined by participants, and both were
325 object oriented, thus any findings may or may not generalise to more algo-
326 rithmic code or code written in languages in other programming paradigms;
327 (ii) Since this was a multi-site study, small differences in experimental setup
328 may have occurred, despite the same eye tracker and laptop computer being
329 shipped to all sites to try to standardize to the greatest degree possible; (iii)
330 The code comprehension questions used, although administered post-hoc(i.e.,

331 did not affect the eye movements elicited during code examination) were, in
332 retrospect, quite limited. The first question could have been answered using
333 algebraic knowledge, and the second may have been affected by some par-
334 ticipants not knowing that negative acceleration is standard terminology in
335 physics to elicit a reduction in velocity, and thus that the accelerate method
336 could validly accept a negative argument.

337 7. Conclusions and Future Work

338 In this article, a large dataset that contains the eye movements of pro-
339 grammers recorded during two code comprehension tasks is presented. The
340 data were collected collaboratively across eleven research teams, and were
341 subsequently organized and cleaned, and published in a public (online) repos-
342 itory that can be found at (<http://emipws.org>). Extensive metadata is
343 provided that can be used to address a wide variety of research questions.
344 The dataset is sufficiently large and varied to enable code comprehension
345 questions to be addressed with ample statistical power.

346 Given the limitations outlined in the previous section, future work could
347 usefully be directed to collect the eye movement of programmers while exam-
348 ining code written in languages that use other programming paradigms (i.e.,
349 not just object oriented), code spanning a broader range of difficulty levels
350 (e.g., algorithms of greater complexity), and for which a greater number and
351 variety of comprehension questions were asked. In addition, we welcome the
352 program comprehension and eye tracking community to use the dataset and
353 extend it with other post processing and analyses.

354 Acknowledgements

355 The authors would like to thank all participants who took part in the
356 study.

357 8. References

- 358 [1] M. E. Crosby, J. Stelovsky, How do we read algorithms? A case study,
359 *Computer* 23 (1) (1990) 25{35.
- 360 [2] A. H. M. . C. P. C. H. Obaidellah, U., A survey on the usage of eye-
361 tracking in computer programming, *ACM Computing Surveys* 51 (1)
362 (2018) 1{58.

- 363 [3] Z. Shara , Z. Soh, Y.-G. Gueheneuc, A systematic literature review
364 on the usage of eye-tracking in software engineering, *Information and*
365 *Software Technology* 67 (2015) 79{107.
- 366 [4] H. Uwano, M. Nakamura, A. Monden, K.-i. Matsumoto, Analyzing in-
367 dividual performance of source code review using reviewers' eye move-
368 ment, in: *Proceedings of the 2006 symposium on Eye tracking research*
369 *& applications*, ACM, 133{140, 2006.
- 370 [5] R. Bednarik, M. Tukiainen, An eye-tracking methodology for charac-
371 terizing program comprehension processes, in: *Proceedings of the 2006*
372 *symposium on Eye tracking research & applications*, ACM, 125{132,
373 2006.
- 374 [6] B. Sharif, J. I. Maletic, An eye tracking study on camelcase and un-
375 der_score identifier styles, in: *Program Comprehension (ICPC), 2010*
376 *IEEE 18th International Conference on*, IEEE, 196{205, 2010.
- 377 [7] D. W. Binkley, M. Davis, D. J. Lawrie, J. I. Maletic, C. Morrell,
378 B. Sharif, The impact of identifier style on effort and comprehension,
379 *Empirical Software Engineering* 18 (2) (2013) 219{276, URL <https://doi.org/10.1007/s10664-012-9201-4> .
- 381 [8] R. Turner, M. Falcone, B. Sharif, A. Lazar, An eye-tracking study assess-
382 ing the comprehension of C++ and Python source code, in: *Proceedings*
383 *of the Symposium on Eye Tracking Research and Applications (ETRA)*,
384 ACM, 231{234, 2014.
- 385 [9] P. A. Orlov, R. Bednarik, The role of extrafoveal vision in source code
386 comprehension, *Perception* 46 (5) (2017) 541{565.
- 387 [10] T. Busjahn, R. Bednarik, A. Begel, M. Crosby, J. H. Paterson,
388 C. Schulte, B. Sharif, S. Tamm, Eye movements in code reading: Relax-
389 ing the linear order, in: *Program Comprehension (ICPC), 2015 IEEE*
390 *23rd International Conference on*, IEEE, 255{265, 2015.
- 391 [11] Z. Shara , B. Sharif, Y.-G. Gueheneuc, A. Begel, R. Bednarik,
392 M. Crosby, A Practical Guide on Conducting Eye Tracking Studies in
393 Software Engineering, *Empirical Software Engineering* (2020) in press.

- 394 [12] C. Palmer, B. Sharif, Towards automating xation correction for source
395 code, in: Proceedings of the Ninth Biennial ACM Symposium on Eye
396 Tracking Research & Applications, ACM, 65{68, 2016.
- 397 [13] S. D'Angelo, A. Begel, Improving Communication Between Pair Pro-
398 grammers Using Shared Gaze Awareness, in: Proceedings of the 2017
399 CHI Conference on Human Factors in Computing Systems, ACM, 6245{
400 6290, 2017.
- 401 [14] T. Fritz, A. Begel, S. C. Müller, S. Yigit-Elliott, M. Züger, Using psycho-
402 physiological measures to assess task di culty in software development,
403 in: Proceedings of the 36th International Conference on Software Engi-
404 neering, ACM, 402{413, 2014.
- 405 [15] K. Ooms, L. Dupont, L. Lapon, S. Popelka, Accuracy and precision
406 of xation locations recorded with the low-cost Eye Tribe tracker in
407 di erent experimental setups, Journal of Eye Movement Research 8 (1).
- 408 [16] A. Gibaldi, M. Vanegas, P. J. Bex, G. Maiello, Evaluation of the Tobii
409 EyeX Eye tracking controller and MATLAB toolkit for research, Behav-
410 ior Research Methods 49 (3) (2017) 923{946.
- 411 [17] T. J. McCabe, A Complexity Measure., IEEE Trans. Software Eng. 2 (4)
412 (1976) 308{320, URL[http://dblp.uni-trier.de/db/journals/tse/
413 tse2.html#McCabe76](http://dblp.uni-trier.de/db/journals/tse/tse2.html#McCabe76)
- 414 [18] M. Hansen, Quantifying code complexity and comprehension, Ph.D. the-
415 sis, Indiana University, 2015.
- 416 [19] A. Gibaldi, S. Sabatini, The saccade main sequence revised: a fast and
417 repeatable tool for oculomotor analysis, Behavior Research Methods .
- 418 [20] K. Rayner, B. J. Juhasz, A. Pollatsek, Eye movements during reading,
419 The Science of Reading: A Handbook (2005) 79{97.
- 420 [21] I. van der Linde, U. Rajashekar, A. C. Bovik, L. K. Cormack, DOVES: A
421 database of visual eye movements, Spatial Vision 22 (2) (2009) 161{177.
- 422 [22] U. Rajashekar, I. van der Linde, A. C. Bovik, L. K. Cormack, Foveated
423 analysis and selection of visual xations in natural scenes, in: Proc.
424 IEEE Int. Conf. Image Processing (ICIP), Atlanta GA, IEEE, 453{456,
425 2006.

- 426 [23] Z. Shara , T. Sha er, B. Sharif, Y. Gueheneuc, Eye-Tracking Metrics in
427 Software Engineering, in: J. Sun, Y. R. Reddy, A. Bahulkar, A. Pasala
428 (Eds.), 2015 Asia-Paci c Software Engineering Conference, APSEC
429 2015, New Delhi, India, December 1-4, 2015, IEEE Computer Soci-
430 ety, 96{103, doi:10.1109/APSEC.2015.53, doi:10.1109/APSEC.2015.53,
431 URL <https://doi.org/10.1109/APSEC.2015.53> , 2015.
- 432 [24] M. Kummerer, T. S. Wallis, M. Bethge, DeepGaze II: Reading actions
433 from deep features trained on object recognition, arXiv preprint
434 arXiv:1610.01563 .
- 435 [25] T. Busjahn, C. Schulte, B. Sharif, A. Begel, M. Hansen, R. Bednarik,
436 P. Orlov, P. Ihanola, G. Shchekotova, M. Antropova, et al., Eye tracking
437 in computing education, in: Proceedings of the tenth annual conference
438 on International computing education research, ACM, 3{10, 2014.
- 439 [26] A. Canessa, A. Gibaldi, M. Chessa, S. P. Sabatini, F. Solari, The
440 perspective geometry of the eye: toward image-based eye-tracking, in:
441 Human-Centric Machine Vision, IntechOpen, 2012.
- 442 [27] A.-H. Javadi, Z. Hakimi, M. Barati, V. Walsh, L. Tcheang, SET: A pupil
443 detection method using sinusoidal approximation, Frontiers in Neuro-
444 engineering 8 (2015) 4.

```

public class Rectangle {
    private int x1 , y1 , x2 , y2 ;
    public Rectangle ( int x1 , int y1 , int x2 , int y2 ) {
        this.x1 = x1 ;
        this.y1 = y1 ;
        this.x2 = x2 ;
        this.y2 = y2 ;
    }
    public int width ( ) { return this.x2 - this.x1 ; }
    public int height ( ) { return this.y2 - this.y1 ; }
    public double area ( ) { return this.width ( ) * this.height ( ) ; }
    public static void main ( String [ ] args ) {
        Rectangle rect1 = new Rectangle ( 0 , 0 , 10 , 10 ) ;
        System.out.println ( rect1.area ( ) ) ;
        Rectangle rect2 = new Rectangle ( 5 , 5 , 10 , 10 ) ;
        System.out.println ( rect2.area ( ) ) ;
    }
}

```

(a) Rectangle

```

public class Vehicle {
    String producer , type ;
    int topSpeed , currentSpeed ;

    public Vehicle ( String p , String t , int tp ) {
        this.producer = p ;
        this.type = t ;
        this.topSpeed = tp ;
        this.currentSpeed = 0 ;
    }

    public int accelerate ( int kmh ) {
        if ( ( this.currentSpeed + kmh ) > this.topSpeed ) {
            this.currentSpeed = this.topSpeed ;
        } else {
            this.currentSpeed = this.currentSpeed + kmh ;
        }
        return this.currentSpeed ;
    }

    public static void main ( String args [ ] ) {
        Vehicle v = new Vehicle ( "Audi" , "A6" , 200 ) ;
        v.accelerate ( 10 ) ;
    }
}

```

(b) Vehicle

Figure 1: Code in Java




Figure 2: Programming languages that the participants claimed to know in addition to the language used in the experiment. C includes C-based derivatives such as Handel-C and Embedded C. The category *other* includes all entries that are not programming languages strictly speaking (including Arduino, Closure, CSS, Excel, HTML, Unix, and XML).

RECTANGLE



VEHICLE




Figure 3: Gaze density maps of a single participant for Rectangle (top) and Vehicle (bottom) code. Computed using a Gaussian kernel density function wherein red denotes a high density of fixations and green a low density.




Figure 4: Gaze density maps grouped by programming expertise for Rectangle (top) and Vehicle (bottom) code. The maps are computed by grouping the participants into expertise levels, from left to right *none*, *low*, *medium* or *high*. Computed using a Gaussian kernel density function wherein red denotes a high density of fixations and green a low density. Each map represents the mean among of the fixation density maps across participants in each group.

